

USE & CARE GUIDE

Aclare[®]

Portable Air Purifier



*See important
safeguards on page 2*



An exclamation point within an equilateral triangle is intended to alert user to the presence of important operating and maintenance instructions in the literature accompanying the appliance.



A lightning bolt within an equilateral triangle is intended to alert user to risk of injury from electric shock.



IMPORTANT SAFEGUARDS

A person who has not read and understood all operating and safety instructions is not qualified to operate this appliance. When using this appliance, always adhere to basic safety precautions including:

READ ALL INSTRUCTIONS BEFORE USE.

1. **DO NOT** use this appliance outdoors. To reduce the risk of electric shock, **DO NOT** expose this appliance to rain or moisture. For indoor use only.
2. Keep out of reach of children. This is not a toy! The purifier is an electrical device. Adult supervision is required when operating in the presence of children.
3. Plug the cordless purifier directly into a 120 volt electrical outlet only. If purifier does not hold firmly to wall outlet, your electrical outlet may need servicing. Consult with a qualified electrician for assistance. **DO NOT** modify plug in any way.
4. **DO NOT** operate with a damaged plug, after a malfunction or if the purifier has been damaged in any manner. Return to an authorized dealer or authorized service facility for repair or replacement.
5. **DO NOT** tamper with the housing or attempt to repair the purifier. There are **NO** user serviceable parts inside. If servicing becomes necessary, please contact your authorized dealer or an authorized service facility.
6. Designed for wall outlet use **ONLY**. Use of an extension cord for temporary situations where plugging into a wall outlet is not possible is OK (see page 8).
7. Unplug from wall outlet before changing the lamp module.
8. **DO NOT** use appliance for other than intended use.
9. **DO NOT** allow foreign objects to enter the intake and outlet openings as this may cause electric shock or damage to the purifier. **DO NOT** block air intake or outlet openings.
10. **DO NOT** operate this appliance in any area where there is risk of the unit falling into or being exposed to water.



CAUTION!


To reduce the risk of electrical shock, **DO NOT** disassemble. **NO** user serviceable parts inside. Refer servicing to qualified service personnel.

The Aclare Purifier is not a medical device.

DO NOT stop or alter any medical therapy programs or medications without the advice of your physician.

HOW IT WORKS

Aclare uses humidity from the air to create a photocatalytic reaction between the germicidal UV lamp and multi-metallic and titanium dioxide coatings on the target area of the lamp module. This reaction produces hydroxyl radicals and superoxide ions. As they are emitted into the room they destroy microorganisms like bacteria, fungi and mold, and oxidize odors and toxic chemical gases.



INSTALLATION/OPERATION

Plug Aclare into a standard 120 volt wall outlet only. For convenient positioning, it may be turned either up or down to plug into power source (see bottom page 6). Aclare will automatically begin to operate and the lamp module will illuminate. To insure proper air flow, keep the surrounding area free of clutter.


To discontinue use, unplug Aclare from the wall outlet. Firmly grip the base of the unit and gently pull from the outlet.

Aclare is designed to cover up to 750 square feet. It is a good idea to keep the product centrally located in your home when using one air purifier and move it around to various problem areas as needed. If possible, we recommend using multiple air purifiers in multiple locations around your home. Aclare is designed for continuous use.

SAVE THESE INSTRUCTIONS

ZONE PURIFICATION®

When considering the average home that has central air conditioning and heating, it is far more effective to have air ducts feeding every room in the home, rather than having a window unit or a fireplace to cool/heat the entire home. The technology in your Aclare works with the same concept. In fact, no air purifier can work efficiently by trying to treat an entire home from one location. This is why we recommend moving it around to various problem areas or using multiple air purifiers for Zone Purification. Please refer to “10 Purification Tests” (page 8) for ideas on how to better use your Aclare Air Purifiers.



GREAT FOR USE IN YOUR:



HOME



KITCHEN



HOTEL/TRAVELS



NURSERY



OFFICE



BATHROOM



RECREATIONAL VEHICLE



LAUNDRY

SPECIFICATIONS

Dimensions	Height:	8.25" (21cm)
	Width:	3.25" (8 cm)
	Depth:	2.50" (6 cm)
	Weight:	12 oz (0.34 kgs)
	UV Output:	8 microwatts per sq cm
Electrical Rating:	120 Volt, 60 Hz, 8 Watts, 0.1 Amp	

Made in USA with UL Listed Parts

MAINTENANCE

Cleaning: Unplug the unit from electrical outlet and use a damp cloth to remove dust that may accumulate. **DO NOT** use harsh detergents or abrasives. **DO NOT** spray water or cleaners directly on the unit.





WARNING!


Aclare contains **NO** serviceable parts. **DO NOT** attempt to open the housing or service in any way.

Replacing the Lamp Module: To maintain best performance, the lamp module should be replaced after approximately 18-24 months.

To replace the lamp module, unplug Aclare from the wall outlet. Firmly grip the base with one hand and the lamp module with the other, and pull apart until the lamp module unplugs from the base. Firmly grip the base with one hand and the new lamp module with the other. Align the two components and push them securely together.




Lamp Module



Base (front)

Discard the used lamp module by following the recommended disposal procedure for a used fluorescent bulb.



Base (back)

Plug

QUESTIONS & ANSWERS

Q: Does my Aclare need to run all the time?

A: Not necessarily. You can use your portable Aclare as needed in various locations.

Q: Is there any maintenance required?

A: No. Simply replace the lamp module when scheduled.

Q: What about my clothes? Can I eliminate dry cleaning odors or smoke smell?

A: Yes. Place Aclare in a closet with dry cleaned or smoke filled garments for about 8 hours with the door closed (additional tips on page 8).

Q: Does the technology help with pet odor?

A: Yes. It not only removes pet odors, but will help drop pet dander out of the air.

TROUBLESHOOTING TIPS

If you suspect a problem, check the following:

- Purifier is plugged in properly
- The wall outlet is active
- Lamp module correctly installed

SERVICE

Contact qualified personnel for repair if the troubleshooting tips fail.

WHERE TO USE

Houses & apartments

Offices & stores

Closets

Laundry rooms

Bathrooms

Basements

Bedrooms

Locker rooms

Hotel rooms

Boats

Recreational vehicles

Kitchens

Attics

Barbershops

Medical offices

Day care centers

Designated smoking areas

Hair & nail salons

High pollen environments

Hospital & nursing home rooms

Veterinary offices & kennels

Pet areas in the home

and more...

10 PURIFICATION TESTS

- TEST #1 Heating & cooling purification
- #2 Sanitize your mattress
- #3 Mold blast the basement
- #4 Sanitize your bathroom
- #5 Spring clean the closet
- #6 Eliminate remodeling fumes
- #7 Get rid of pet odors
- #8 Wipe out dry cleaning toxins
- #9 Automobile refreshing
- #10 Freshen the RV, camper or boat

These tests are designed to demonstrate Aclare's versatility and help expedite the purifying process in your home or vehicle. It's not necessary to do any of these processes, but they are recommended. Taking these steps can provide amazing results and they are well worth your time. Read the instructions carefully to reap the maximum benefits.

You see, Aclare not only purifies air, but all your home surfaces as well; carpets, clothes, towels, shoes... and the list goes on. Experiment! Your Aclare is portable—move it around. Sanitize and bathe your entire home. Once you've purified your home, place your Aclare in a central location and let it maintain pure clean air continuously.

NOTE: When using an extension cord with your Aclare (as called for in some of the tests), always keep away from water, excessive heat and avoid pinching the cord.

#1—HEATING & COOLING PURIFICATION

- A. Plug Aclare into an extension cord.
- B. Place directly in front of and facing the air return/intake of your ventilation system.
- C. Now, turn the heating/cooling system fan on—set for continuous operation.
- D. Allow this setup to run for at least 12 hours—or until you smell fresh, clean air coming out of the vents farthest from the return/intake. You can let it run this way all day while you're away (open your closet doors to freshen your closets at the same time).

#2—SANITIZE YOUR HOTEL ROOM & MATTRESS

- A. Pull all bed covering back to expose the mattress and pillows.
- B. Plug Aclare into an extension cord.
- C. Set Aclare on the center of the bed in a standing position.
- D. Make a “teepee” with the pillows over the unit, leaving room for air to circulate.
- E. Cover the unit and pillows with the top sheet and blanket; making a “tent”. Doing this will concentrate the effect, helping treat accumulation on both the pillows and the mattress from the previous user.

- F. Close the door to the room and allow Aclare to disinfect for 2 to 4 hours (or all day while you're away. You will return to an environmentally restored room. When finished, plug the unit into a wall outlet (without the extension cord).

#3—MOLD BLAST THE BASEMENT

- A. Position Aclare at the center-most position of the basement and activate.
- B. Place a fan in the room to circulate the air to every corner if the airflow is low.
- C. Allow the setup to run for 6 to 8 hours for mild/moderate problems. Allow 2 to 4 days if you have a more serious problem. Remember, according to experts, if you can smell mold or mildew, you could be at serious risk. So, removing and/or significantly reducing this exposure is important.

NOTE: For severely affected or damp areas, consider a dedicated Aclare. Also, when purifying for purging purposes and when oxidizing mold, you may notice a bleach-like smell resembling chlorine until there is a reduction breakthrough of the mold.

#4—SANITIZE YOUR BATHROOM

- A. Plug in your Aclare.
- B. Allow the unit to run for 2 to 4 hours.
- C. This procedure should be repeated at least once a month to maintain a clean and healthy bathroom.



- D. **DO NOT** operate this appliance in any area where there is risk of the unit falling into or being exposed to water.

#5—SPRING CLEAN THE CLOSET

- A. Using an extension cord, place your Aclare on the highest shelf.
- B. Plug in to activate (take care as you close the door so the unit does not move or fall from shelf).
- C. Allow to run for 1 to 2 hours depending on how fully packed the closet is, or how large the storage area is. It's OK to run all day.

NOTE: When purifying a smaller space such as a chest or trunk, close the lid within 1 inch of fully closed. You must allow some fresh air in for your unit to work its best.

#6—ELIMINATE REMODELING FUMES

- A. Plug Aclare into the most centrally located wall outlet.
- B. Place a fan in the room to circulate the air to every corner if the airflow is low.
- C. Allow to run for 2 to 24 hours or longer, depending on the smell (let your nose be your guide).

#7—GET RID OF PET ODORS

- A. Plug in your Aclare as close as possible to the problem area.
- B. Allow to run for 2 to 24 hours or longer.

NOTE: If the odor is in a piece of furniture or a spot on a rug or carpet, use the method employed in Test #2, draping a sheet over the unit and the piece of furniture or flooring.

#8—WIPE OUT DRY CLEANING TOXINS

- A. Remove any plastic or paper wrap from the clothing and hang in a closet or bathroom.
- B. Plug-in your Aclare as close as possible to the clothing to be treated.
- C. As you close the door, take care that the cord (if using an extension cord) does not disturb the unit.
- D. Allow to run for 2 to 4 hours, depending on the severity (again, let your nose be your guide).

#9—AUTOMOBILE REFRESHING

- A. Plug Aclare into an extension cord and place on the front seat of your car. Open a window approximately 1 inch and feed the cord through the opening and plug in to the nearest receptacle.
- B. Operate for 2 to 4 hours.
- C. After this period, switch your cars ignition to the “on” position, then turn your heating/cooling ventilation fan on.
- D. Allow to run approximately 15 minutes depending on the smell. Your nose will know.

#10— FRESHEN THE AIR IN RVs, CAMPERS & BOATS

- A. Plug Aclare into an extension cord and place in the area to be treated.
- B. Allow to run for 2 to 4 hours.
- C. For RVs, Campers, Tents and Boats, place the unit inside and make sure there is a small window or a vent open for ventilation. Leave the unit in place for 2 to 24 hours depending on the severity of the problem.

WARRANTY REGISTRATION CARD

Please fill out and return the enclosed registration card within twenty days of purchase. Returning this card will not affect warranty coverage, but may expedite the processing of a warranty claim. Returning this card is the only way to guarantee you will be notified of any issues that arise concerning this product. Thank you!

OWNER'S LIMITED WARRANTY

Waterwise warrants, to the original purchaser, this product against defects in materials and workmanship excluding the replaceable lamp module, for a period of three (3) years from the date of purchase. The lamp module is warranted against defects in materials and workmanship for one (1) year prorated from the date of purchase. Defects or failures due to shipping/handling, improper use or maintenance, including abuse or neglect, normal wear, accidents, alterations or modifications, or unauthorized repair are specifically excluded from this warranty. No dealer, distributor, agent, representative, or other person is authorized to extend or expand this warranty.

Waterwise is not responsible or liable for personal injury, property damage, or incidental or consequential damages arising out of, or in connection with, the use or performance of the product or other damages with respect to loss of use, or costs of removal, installation, or reinstallation.

Waterwise will, at its option, replace or repair the defective part(s) without charge, provided they are returned, transportation prepaid by owner, to an authorized service facility or to the address below. Enclose a letter describing the problem, copy of dated proof of purchase, and your name, address and daytime telephone number.

This limited warranty does not guarantee uninterrupted service. Repair or replacement as provided under this warranty is the exclusive remedy of the purchaser. This limited warranty is in lieu of all other warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular use or purpose. This warranty gives you specific legal rights and you may also have other rights which vary from state to state or province to province.

Outside the United States, a different warranty may apply. For details, please contact your authorized Aclare distributor.



3608 Parkway Blvd • Leesburg Florida 34748-9399

(888) 340-0247

www.healthyperceptions.com